

NC Controlled Substance License #: NC-DHHS-1002881
 DEA Controlled Substance License #: RD0577986
 ISO 17025 Certification: PENDING
 Proficiency Testing Enrolled: Hemp PT Program U of Kentucky Regulatory Services

9

ANALYTICAL
Delta 9 Analytical
 Professional, Accurate, Responsive

Laboratory Location
 6308 Angus Drive, Ste B
 Raleigh NC 27617
 919-673-7153 / 919-450-1870
 frank@delta9analytical.com
 michael@delta9analytical.com

Client Name: **LOUD, LLC**
 Client Address: 25 McCaskill Rd
 Carthage, NC 28327
 Grower/Processor Lic#: **NC 25**

Sample ID: **3027**
 Received Date: 07272021
 Reported Date: 08032021
 Test(s) Ordered: **Cannabinoids**

Sample Name: **THC-O Sean 72621**
 Sample Type: Extract
 Sample Matrix: **Distillate**
 Sample Size: 1g Test Size: 56.9mg



CANNABINOID SUMMARY

TOTAL CANNABINOIDS: 1.155%
Δ8-THC: 1.155%
Δ9-THC: <0.015%
TOTAL THC: <0.015%

CANNABINOIDS (Liquid Chromatography Mass Spectrometry - LCMS)

ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)	ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)
Cannabinol (CBN)	ND	ND	0.015	Cannabidiol (CBD)	ND	ND	0.015
Δ8-THC	1.155	11.55	0.015	Cannabigerol (CBG)	ND	ND	0.015
Cannabichromene (CBC)	ND	ND	0.015	Cannabigerolic Acid (CBGA)	ND	ND	0.015
Cannabidiol (CBD)	ND	ND	0.015	Cannabidivarin (CBDV)	ND	ND	0.015
Cannabigerolic Acid (CBGA)	ND	ND	0.015	Cannabidolic Acid (CBDA)	ND	ND	0.015
Cannabidivarin (CBDV)	ND	ND	0.015	Δ9-THC Acid (THCA)	ND	ND	0.015
				THC-varian (THCV)	ND	ND	0.015
				***Δ9-THC	<0.015	<0.15	0.015
				**TOTAL CANNABINOIDS	1.155	11.55	
				*TOTAL THC	<0.015	<0.15	
				*TOTAL CBD	ND	ND	

*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA% (0.877) + Δ9-THC %. **Total Cannabinoids is the absolute sum of all cannabinoids detected. ND = Not Detected

RESULT CERTIFICATION 08032021



Frank P. Mauricio COO/Michael R. Horton CSO & Date




Michael Horton Frank Mauricio



Scan QR Code to verify COA at www.delta9analytical.com

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. ***The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.